




NARDI

IMPLEMENTS
FOR PROFESSIONAL
FARMING




NGD


Nošene Mehaničke Ratarske Prskalice
Mounted Mechanic Farming Sprayers



NARDI

IMPLEMENTS
FOR PROFESSIONAL
FARMING

 Nardi nošene prskalice namenjene su za gazdinstva srednje veličine koja zahtevaju najbolju preciznost, distribuciju, niske troškove proizvodnje i jednostavnost pri rukovanju. Nardi nošena prskalica visoko je opremljen model koji koristi najnoviju tehnologiju koja se prilagođava uslovima i potrebama u modernoj poljoprivrednoj proizvodnji. Nardi prskalice proizvedene su sa velikom pažnjom prema životnoj okolini i korisnicima ovih oruđa i u ove svrhe proizvodi se širok asortiman različitih prskalica kapaciteta rezervoara od 200 do 1200L sa najkvalitetnijim komponentama koji ispunjavaju očekivanja i najzahtevnijih kupaca.

 Nardi mounted sprayers are highly specialized implements intended for agricultural use. They are special designed in order to provide the very best chemical protection in corp production, thanks to a series of technical innovation. Nardi produce the implements with a great care of enviroment and users of products and in this purpose have large number of different mounted sprayers with tank capacities ranging from 200 to 1200L, with best quality components, which, with their wide range of use, can meet the expectations of even the most demanding users.



Mehaničko otvaranje fiksne grane (8/10/12m)
Mechanical opening fixed booms (8/10/12 metres)



Mehaničko otvaranje samonivelirajuće grane (12/14/15/16m)
Mechanical opening self-leveling booms (12/14/15/16m)

STANDARDNA OPREMA - STANDARD FEATURES



Membranska pumpa
Diaphragm pump



Komandna grupa sa 3 jedinice
(levo, desno, obrnuto)
Proportional distributor with 3 ways
(left, right, reverse)



Filter za samopunjenje
Intake filter predisposed for self-filling



NARDI

IMPLEMENTS
FOR PROFESSIONAL
FARMING



Toplofarbana šasija
Hot painted steel frame




Sitasti filter
Stainer filter



Hidromešač
Hydraulic agitator



Ručno podizanje grana
Manual lifting system of the boom



Rasprskiyač sa sistemom protiv kapljanja
Nozzle holder complete with nozzle and anti drop



Rezervoar za pranje ruku
Hand washing tank



Rezervoar za pranje sistema
Circuit washing tank



Ventil za totalno pražnjenje
Total discharge valve

OPCIONA OPREMA - OPTIONAL EQUIPMENT




Tripleks dizne
Trijet nozzles



Ekomikser
Ecomixer



Kompjuter Bravo180
Computer Bravo180



Proporcionalni distributor sa 5 jedinica
Proportional distributor with 5 ways



Motalica za crevo
Hose reel



Bokal za testiranje mlaznice
Nozzle check carafe



Crevo visokog pritiska
High pressure hose



Set za pranje rezervoara
Kit washing tank



Merač pritiska (manometar) Ø100
Pressure gauges (manometro) Ø100



Sistem za samopunjenje
Self filling kit



Pena marker
Foam marker



Cinkana šasija
Galvanized frame



Klipna pumpa YA75
High pressure piston pump YA75




Klipna pumpa YA150
High pressure piston pump YA150



Rasprskiyač protiv kapljanja
Anti drift nozzles



Čekrk za podizanje grana
Winch lifting the booms



Cevasti hidromešač
Tube agitator

*Standardno za samonivelirajuće grane
*Standard feature for self-leveling booms



NARDI

IMPLEMENTS
FOR PROFESSIONAL
FARMING

| Model Model | Mehaničko otvaranje grana (m) Mechanical boom (m) | Broj rasprsk. N° nozzles | Kapacitet rezervoara (L) Tank capacity (L) | | | Kg | Širina (mm) W (mm) | Duž. (mm) L (mm) | Vis. (mm) H (mm) | KS HP |
|----------------|---|-----------------------------------|--|--|---|-----|-----------------------------|---------------------------|---------------------------|----------|
| | | | Glavni rezervoar Main tank | Rez. za pranje ruku Hand washing tank | Rezervoar za pranje sistema Circuit tank | | | | | |
| 200 | 8 | 16 | 200 | 12 | Ne - No | 185 | 2000 | 1300 | 1350 | 15-20 |
| | 10 | 20 | | | | 200 | 2000 | 1350 | 1350 | |
| | 12 | 24 | | | | 215 | 2000 | 1350 | 1350 | |
| 300 | 8 | 16 | 300 | 12 | Ne - No | 185 | 2000 | 1300 | 1350 | 15-20 |
| | 10 | 20 | | | | 200 | 2000 | 1350 | 1350 | |
| | 12 | 24 | | | | 220 | 2000 | 1350 | 1350 | |
| 400 | 8 | 16 | 400 | 12 | 35 | 185 | 2000 | 1300 | 1350 | 20-30 |
| | 10 | 20 | | | | 200 | 2000 | 1350 | 1350 | |
| | 12 | 24 | | | | 215 | 2500 | 1350 | 1680 | |
| 600 | 8 | 16 | 600 | 12 | 35 | 185 | 2000 | 1300 | 1350 | 30-35 |
| | 10 | 20 | | | | 200 | 2000 | 1350 | 1350 | |
| | 12 | 24 | | | | 215 | 2500 | 1350 | 1680 | |
| | 12sl * | 24 | | | | 215 | 2500 | 1350 | 1680 | |
| | 14sl * | 28 | | | | 235 | 2800 | 1350 | 2290 | |
| | 15sl * | 30 | | | | 255 | 2860 | 1350 | 2380 | |
| 16sl * | 32 | 300 | 2900 | 1350 | 2400 | | | | | |
| 800 | 8 | 16 | 800 | 12 | 100 | 200 | 2000 | 1300 | 1350 | 30-40 |
| | 10 | 20 | | | | 218 | 2000 | 1350 | 1350 | |
| | 12 | 24 | | | | 226 | 2500 | 1250 | 1680 | |
| | 12sl * | 24 | | | | 226 | 2500 | 1250 | 1680 | |
| | 14sl * | 28 | | | | 248 | 2800 | 1300 | 2290 | |
| | 15sl * | 30 | | | | 370 | 2860 | 1400 | 2380 | |
| 16sl * | 32 | 375 | 2900 | 1350 | 2400 | | | | | |
| 1000 | 12sl * | 24 | 1000 | 12 | 100 | 370 | 2500 | 1250 | 1680 | 40-50 |
| | 14sl * | 28 | | | | 405 | 2800 | 1350 | 2290 | |
| | 15sl * | 30 | | | | 425 | 2860 | 1400 | 2380 | |
| | 16sl * | 32 | | | | 435 | 2900 | 1350 | 2400 | |
| 1200 | 12sl * | 24 | 1200 | 12 | 100 | 400 | 2500 | 1250 | 1680 | 50-60 |
| | 14sl * | 28 | | | | 430 | 2800 | 1350 | 2290 | |
| | 15sl * | 30 | | | | 440 | 2860 | 1400 | 2380 | |
| | 16sl * | 32 | | | | 450 | 2900 | 1350 | 2400 | |

Standardna oprema - Standard features

Toplofarbana šasijsa sa kačenjem u tri tačke
Hot painted steel frame with forkpins

Polietilenski rezervoar sa ventilom za totalno
pražnjenje
Total drainage polyethylene tank with screw lid

Sitasti filter i spoljni nivokaz
Strainer filter, external liquid level indicator

Rezervoar za pranje ruku i sistema
Hand and circuit washing tank

Hidromešač
Hydraulic agitator

Membranska pumpa
Diaphragm pump, safety valve

Komandna grupa sa 3 jedinice
Proportional distributor with 3 ways

Ručno podizanje grana
Manual lifting system of the boom

Filter za samopunjenje
Intake filter predisposed for self-filling

Rasprskivač sa sistemom protiv kapljanja
Nozzle holder complete with nozzle and anti-drop

Opciona oprema - Optional equipment

| | |
|---|--|
| Komandna grupa sa 5 ventila umesto 3 - Control unit with 5 valve instead of 3 | Tripleks dizne - Trijet nozzles |
| Prop. komandna grupa sa 5 jed. sa ventilom max pritiska - Prop. distr. with 5 ways with max pr. valve | Crevo visokog pritiska 40bar - High pressure hose 40 bar |
| Mehanička komandna grupa sa 5 jedinica sa elektronskim uklj./isklj. Mechanical control unit with 5 ways with electronic on/off | Čekrk za podizanje grana (standardno za samonivelirajuće grane) Winch lifting the boom (standard for self-leveling booms) |
| Distributor sa 5 elektroventila sa elektr. uklj./isklj. - Distributor with 5 ways with electronic on/off | Linijski filteri 5 - Line filters 5 |
| El. kom. grupa sa 5 sekcija sa komp. Bravo 180S - El. control unit 5 sections with computer Bravo 180S | Set za pranje rezervoara - Kit washing tank |
| Motalica za crevo - Hose reel | Cevasti hidromešač - Hydraulic tube agitator |
| Rasprskivač protiv kapljanja - Anti-drift nozzle | Merač pritiska (manometar) Ø100 (standard Ø50) - Press. gaug. (manometro) Ø100 (standard Ø50) |
| Pumpa BP 105 umesto pumpe BP 60 - Pump BP 105 instead of BP 60 | Bokal za testiranje mlaznice - Nozzle check carafe |
| Pumpa BP 125 umesto pumpe BP 60 - Pump BP 125 instead of BP 60 | Cinkan ram - Galvanized frame |
| Pumpa BP 125 umesto pumpe BP 105 - Pump BP 125 instead of BP 105 | Ekomikser 30L - Ecomixer 30L |
| Pumpa BP 151 umesto pumpe BP 125 - Pump BP 151 instead of BP 125 | Pena marker - Foam maker |
| Klipna pumpa YA75 umesto membranske pumpe - Piston pump YA75 instead of diaphragm pump | Sistem za samopunjenje 5m sa korpom Ø30(do 600L) - Self-filling kit 5m with basket Ø30(up to 600L) |
| Klipna pumpa YA150 umesto membranske pumpe - Piston pump YA150 instead of diaphragm pump | Sistem za samopunjenje 5m sa korpom Ø40(do 800L) - Self-filling kit 5m with basket Ø40(up to 800L) |

NARDI BALKAN

Šumadijska 6/2
12000 Požarevac
Tel./Fax: +381 12 55 55 48
Mob: +381 69 10 222 53
E-mail: office@nardibalkan.com
www.nardibalkan.com

NARDI