



NARDI


IMPLEMENTS
FOR PROFESSIONAL
FARMING




ATOM-M

 Nošeni Atomizeri
 Mounted Mist Blowers



 Nardi nošeni atomizeri namenjeni su potrebama u poljoprivrednoj proizvodnji. Ove specijalno dizajnirane mašine pružaju najbolju hemijsku zaštitu u vinogradima i voćnjacima, zahvaljujući nizu tehničkih inovacija koje poseduju. Nardi atomizeri proizvedeni su sa velikom pažnjom prema životnoj okolini i korisnicima ovih oruđa i u ove svrhe proizvodi se širok asortiman različitih atomizera kapaciteta rezervoara od 200 do 800L sa najkvalitetnijim komponentama koji ispunjavaju očekivanja i najzahtevnijih kupaca.

 Nardi mist-blowers are highly specialized implements intended for agricultural use. They are special designed in order to provide the very best chemical protection in orchard and vineyard crop production, thanks to a series of technical innovation. Nardi produce the implements to a great care of environment and users of products and in this purpose have large number of different mist blowers with tank capacities ranging from 200 to 800L, which, with their wide range of use, can meet the expectations of even the most demanding users.

STANDARDNA OPREMA - STANDARD FEATURES




Membranska pumpa
Diaphragm pump




Kontrola pritiska iz kabine
traktora ALPHA 2
Control unit from
tractor ALPHA 2




Filter za samopunjenje
Intake filter



Duple mesingane mlaznice
Double brass nozzles




Kačenje u tri tačke
Three point coupling



Cinkan ram
Galvanized frame



Sitasti filter
Stainer filter



Reduktor
Gearbox speed increase



Rezervoar za pranje sistema
Circuit washing tank



Rezervoar za pranje ruku
Hand washing tank




Difuzorski sklop sa panelom H150
The diffuser assembly to the panel H150



NARDI

IMPLEMENTS
FOR PROFESSIONAL
FARMING

OPCIONA OPREMA - OPTIONAL EQUIPMENT



Top dizna
Top nozzle



Elektronska komandna grupa
Electronic control unit



Motalica za crevo
Hose reel



Sistem za samopunjenje
Self filling kit



Klipna pumpa YA150
High pressure piston pump YA150



Klipna pumpa YA75
High pressure piston pump YA75



Kardansko vratilo
PTO Shaft



LA 600
LA 600



Mesingani linijski filter
Line filter brass



Pištolj za prskanje sa
"Turbo" rasprskivačem
Spray gun with
"Turbo" nozzle head



Fontana za topljenje praha
Powder mixer





Difuzorski sklop Ø mm Fan Ø mm	Pumpa - Pump			
	APS 51 AP l/min 50,7 bar 40	APS 61 l/min 62.3 bar 40	APS 71 AP l/min 67 bar 40	APS 96 AP l/min 88 bar 40
600	Litara - Litres			
	220			
	320			
700	450			
	450			
	650			
800	850			
	450			
	650			
850				

Opciona oprema - Optional equipment

Pumpa APS 61 umesto pumpe APS 51 - Pump APS 61 instead of pump APS 51
Pumpa APS 71 umesto pumpe APS 51 - Pump APS 71 instead of pump APS 51
Pumpa APS 71 umesto pumpe APS 61 - Pump APS 71 instead of pump APS 61
Pumpa APS 96 umesto pumpe APS 71 - Pump APS 96 instead of pump APS 71
Klipna pumpa YA75 - High pressure piston pump YA75
Klipna pumpa YA150 - High pressure piston pump YA150
Elektronska komandna grupa sa kompjuterom Bravo 180S Electronic proportional unit with computer Bravo 180S
EL komandna grupa sa kontrolnom kutijom - EL control unit with box control
Mesingani linijski filter (obe strane) - Line filter brass (both sides)
Deflektor panel H-130 - Deflector panel H-130
Deflektor panel H-150 - Deflector panel H-150
Sistem za samopunjenje 5m sa korpom Ø30 - Self filling kit 5m with basket Ø30
Sistem za samop. 5m sa korpom Ø40 (800L) - Self fill. kit 5m with basket Ø40 (800L)
Gumena spojnica (Ø600, Ø700) - Rubber clutch (Ø600, Ø700)
Kolica za transport (samo za 850L) - Transport wheel (only for 850L)
Motalica za crevo - Hose reel
Crevo od 60 bara - 60 bar hose
LA600 - LA600
Pistolj za prskanje sa rasprskivačem "Turbo" - Spray gun with "Turbo" nozzle head
Top dizna - Top nozzle
Fontana za topljenje praha - Powder mixer
Uredaj za pranje boce - Bottle washing device
Štitnik za lišće 980x225 - Leaf protection 980x225
Kardansko vratilo - PTO Shaft

Model Model	Kapacitet rezervoara (L) - Tank capacity (L)			Kg	Šir. (cm) W (cm)	Duž. (cm) L (cm)	Vis. (cm) H (cm)
	Glavni rezervoar Main tank	Rezervoar za pranje ruku Hand washing tank	Rezervoar za pranje sistema Circuit tank				
200	200	15	Ne - No	110	95	150	120
300	300	15	Ne - No	115	95	150	135
400	400	15	40	185	125	150	123
600	600	15	60	230	132	153	123
800	800	15	80	250	141	153	125

Standardna oprema - Standard features

Toplocinkana šasija - Hot-dip galvanized steel frame
Polietilenski rezervoar sa ventilom za totalno pražnjenje i poklopcem, sitastim filterom ispod poklopca Polyethylene tank designed for total drainage with screw lid, strainer filter located under the lid
Rezervoar za pranje ruku i sistema - Hand and circuit washing tank
Membranska pumpa - Diaphragm pump
Reduktor - Gearbox speed increase
Kontrola pritiska iz kabine traktora ALFA 2 - Pressure regulator from tractor ALFA 2
Propeler sa aerodinamičkim lopaticama - Fan aerodynamic blades
Propeler sa podesivim nagibom lopatica - Fan with blades with adjustable angle regulation
Hidromešač - Hydraulic agitator

Dif. sklop Ømm Fan Ømm	Litara - Litres	Broj lopatica Blades N°	Brzina - Speed	Broj mlaznica Nozzles N°	KS - HP	Domet sa strane (m) Side range (m)	Domet u visinu (m) Vertical range (m)
600	200	8	1	8	20-35	6-7	5-6
	300						
	400						
700	400	8	1	10	40 - 70	7	7
	600						
	800						
800	400	8	1	12	40 - 70	8	8
	600						
	800						